

Point-of-use filter for prevention of *Legionella*

Easy to fit point-of-use shower filter unit for prevention of *Legionella* and other waterborne pathogens



Photo 1: Point-of-use Shower Filter Unit




Photo 2: Filter Unit components

Ideally suited for prevention of infections such as legionellosis in hospital environs, sports and recreational facilities and institutional facilities.

Features and Benefits

- Easy to install filtration unit for standard shower hoses
- Easy to replace filter cartridge
- Contains microfiltration filter cartridge for capture of *Legionella* microorganisms
- CE certified
- Non pyrogenic
- Biosafe – materials meet USP Class VI
- Self venting
- Manufactured under clean room conditions for compliance with ISO 9001
- Filter cartridges proven to be quantitatively retentive of 10^7 organisms/cm² *Brevundimonas diminuta*



porvair
filtration group

Technical Information





Figure 1: Diagram of shower filter components

Filter Media:	PES and PVP
Pore Size:	0.2 µm
Change-out:	3 months
Connection:	1/2" BSP
Max. operating pressure:	4 Bar g
Max. operating temperature:	50°C
Typical Water Flow Rate:	12L/min @ 2Bar g

Clean Water Flow Rates



MF074

Porvair Filtration Group Ltd.
 Fareham Industrial Park, Fareham, Hampshire PO16 8XG UK
 T: +44 (0)1329 285616 F: +44
 (0)1329822442

porvair
 filtration group

Porvair Filtration Group Inc.
 454 South Anderson Road, BTC 514, Rock Hill, SC 29370 USA
 T: +1 803 327 5008 F: +1 803 327 1052

Web: www.porvairfiltration.com Email: info@porvairfiltration.com